

1/4

FIG. 1

200

```

<html>
<head>
<title>Contribute Example</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<body>
<p>The bage begins with a paragraph tag that signifies that the text within those
    tags is part of a paragraph. While the formatting is of a paragraph, the text
    within plain paragraph tags is usually considered editable.</p>
<p><b>Bold text may also be represented within a paragraph tag, but it also is
    formatted by its own tag.</b></p>
<script> May include script written in CFML, ASP, JSP, PHP, or the like.</script>
<table width="701" height="180" border="1" bordercolor="#0000FF" bgcolor="#CCCCCC">
  <tr>
    <td width="172" rowspan="2"> <div align="center"> <b> <font color="#0000FF"
    size="+2" face="Georgia, Times New Roman, Times, serif"> Table</font> </b> </div> </td>
    <td width="164">  </td>
    <td width="100"> Image files can typically be protected from editing.</td>
    <td width="124" rowspan="3"> Table</td>
    <td width="107" rowspan="3"> Text</td>
  </tr>
  <tr>
    <td colspan="2" rowspan="3"> Table text can be entered on a
    per cell basis. Therefore, the text within the cell may be edited in certain
    circumstances. However, if there are heading cells that the designer does
    not want changed, those may also be protected.</td>
  </tr>
  <tr>
    <td> Table text.</td>
  </tr>
  <tr>
    <td> Table text</td>
    <td colspan="2"> Table Text</td>
  </tr>
</table>
</body>
</html>

```

100

101

102

103

104

105

106

107

108

109

110

111

112


113

114

115

116

FIG. 2



3/4

FIG. 3




FIG. 4




FIG. 5